

Sliding door storages – Standard technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company.

Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by it's side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years.**

Electrical components and fabric – **2 years.**

Certificate - MFC:



Compliant with standards:

PN-EN 14073-2:2006

Boards density:

12 mm - 690 - 750 kg/m³

18 mm - 650 - 690 kg/m³

28 mm - 610 - 630 kg/m³

36 mm - 610 - 630 kg/m³


Assembly:

the product comes pre-assembled

Packing:

cardboard, bubble wrap, stretch foil

Sliding door storages



- 1. Top - MFC 28 mm, ABS edge
- 2. Body - MFC 18 mm, ABS edge
- 3. Back MFC - 18 mm, ABS edges
- 4. Sliding front - MFC 18 mm, ABS edge
- 5. Patent lock
- 6. Shelf - MFC 18 mm, protection against accidental falling-out, ABS edge
- 7. Base - MFC 18 mm, ABS edge
- 8. Leveling feet 27 mm - range 12 mm
- 9. OPTION WITH EXTRA CHARGE - metal base - colour: M009 - aluminium semi-matt
- 10. OPTION WITH EXTRA CHARGE - soft-closing system
- 11. Handle - aluminium, ordered separately:
* handle Standard
** handle Pro

Sliding door storages *



A2P04
800 / 432 / 740
44.25 kg




A3P04
800 / 432 / 1129
56.7 kg




A4P04
800 / 432 / 1481
70.95 kg



A5P04
800 / 432 / 1833
92.6 kg



A2P05
1000 / 432 / 740
51.1 kg



A3P05
1000 / 432 / 1129
100.4 kg




A4P05
1000 / 432 / 1481
91.2 kg



A5P05
1000 / 432 / 1833
111.2 kg



A2P06
1200 / 432 / 740
83.1 kg




A3P06
1200 / 432 / 1129
85.95 kg




A4P06
1200 / 432 / 1481
105.7 kg




A5P06
1200 / 432 / 1833
132.35 kg




A2P14
1410 / 432 / 740
64.55 kg



A2P08
1600 / 432 / 740
75.77 kg




A2P16
1610 / 432 / 740
74.2 kg




A3P14
1410 / 432 / 1129
90.9 kg

* dimensions expressed in millimeters: width x depth x height

Sliding door storages *



A3P08
1600 / 432 / 1129
107.55 kg




A3P16
1610 / 432 / 1129
105.5 kg


Stack-on storages with sliding door *



A1P04
800 / 432 / 750
41.6 kg



A1P05
1000 / 432 / 750
51.85 kg



A1P06
1200 / 432 / 750
60.15 kg

* dimensions expressed in millimeters: width x depth x height

Sliding door storages Standard	Date of preparation 13.10.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/6
			products

Top, base, body, front



08 Black *



26 Aluminum satinato *



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel *



106 Lowland walnut



154 Anthracite *



167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

* body - II group